

CERTIFIED PRE-OWNED VEHICLE INSPECTION CHECKLIST

This inspection checklist must be completed with *all* items checked, signed by responsible persons as indicated and retained along with repair orders in the vehicle's history file. Failure to do so will *void* the vehicle's certification.

| Dealership Name | | |
|----------------------|--------------------------|--------------|
| Year, Make and Model | | Stock Number |
| Color | R.O. Number(s) | |
| /IN | | |
| Date Inspected | Original In-Service Date | Mileage |

| CHRYSLER JEEP. DODGE RAM | | | | | | Date inspected | Original in oci | VICE Bute | | |
|---|-----------------------------|-------------------|---|-----------------------------|-------------------|--|----------------------------|---------------------|---|--|
| | Meets Chrysler Standards | Not Applicable | | Meets Chrysler Standards | Not Applicable | | Meets Chrysle Standards | r Not Applicable | | Meets Chrysler Not Standards Applicable |
| Qualification Standards | | | Mechanical Standards (continued) | | | Maintenance Standards (continued) | | | Detail Standards (continued) | |
| 1. Under 75,000 miles | | | ROAD TEST | | | 83. Identify non-Mopar _® accessories | | | Interior detailing | |
| 2. Five model years or newer | | | 46. Ease of starting | | | in Additional Information box | | | 121. Clean ashtray/cigarette lighter | |
| 3. No frame damage | | | 47. Cold-idle quality | | | 84. Tires match and are manufacturer's | | | 122. Clean vinyl, plastic | |
| 4. Clean title | | | 48. Gear selector operation | | | recommended size/load capacity | | | and leather surfaces | |
| 5. Aftermarket accessories do not comprom | nise | | Steering performance | | | 85. Wheels match and are correct size and offset | | | 123. Clean glass surfaces | |
| safety, emissions or operation of vehicle | | | 49. Power steering performance | | | 86. Tread depth is 4/32" remaining | П | | 124. Vacuum and/or shampoo | |
| Ownership Materials | | | 50. Steering wheel center alignment | | | 87. Tire sidewall condition | | | all interior carpets | |
| 6. Warranty Manual | | | 51. Vehicle tracking performance | | | 88. Tire pressures are set to | Ш | | 125. Free of odors/moisture | _ |
| 7. Owner's Manual | | | Equipment operation | | | Chrysler specifications | | | and water leaks | |
| Operational key | | | 52. Cruise control | | | 89. Brake-line condition | | | | |
| 9. CARFAX® report | | | 53. Overdrive | | | 90. Shocks and struts condition | | | Satellite-Equipped Radios | |
| 10. Certified Pre-Owned | | | 54. Instrument panel/gauges | | Ш | 91. CV joints boot condition | | | Retrieve the Radio Electronic Serial Num | hor (ESN) |
| Consumer Warranty Booklet | | | 55. Sound and/or entertainment system | | | 92. Exhaust system | | _ | Retrieve the Radio Electronic Senai Num | Jer (ESIN) |
| | | | • | Ш | | 93. Front suspension | П | | | |
| Mechanical Standards | | | Powertrain performance | _ | | 94. Rear suspension | П | | | |
| PRE-ROAD TEST | | | 56. Acceleration performance | | _ | 95. Steering components | | | | |
| Underhood checks | | | 57. Clutch operation (manual transmission) | | | 96. Wheel bolts torqued to specifications | | | Authorized Signature | |
| 11. Hood release | | | 58. Upshifting performance | | | 97. Tire-changing equipment | | | My dealership has inspected all of the ab | ovo itoms. The vehicle qualifies |
| 12. Brake fluid | | | 59. Downshifting performance | | | (including spare, if applicable) | | | as a Factory-Backed Certified Pre-Owned | |
| 13. Power steering fluid filled | | | 60. Steady throttle performance | | _ | 98. Drive belts are tight and not damaged | | | standards listed have been met. | , |
| 14. Wiper/washer fluid filled | | | 61. Transfer case/all-wheel-drive performance | | | 99. Engine hoses | | | | |
| 15. Battery condition/load test | | | 62. Hot-idle performance | | | 100. Emissions system hoses | | | Authorized Signature | |
| 16. Charging system operation | | | Braking performance | | | 101. State/local testing | | | Title | |
| 17. Throttle linkage operation | | | 63. Brake booster performance | | | 102. Module scan tool check | | | Title | |
| Operational checks | | | 64. Vehicle tracking | | | | | | | |
| 18. Key fob w/remote keyless entry | | | 65. Antilock brake system | | | Appearance Standards | | | Date | |
| 19. Door/liftgate/trunk | | | 66. Overall stopping performance | | | Exterior condition | | | | |
| 20. Seat adjuster | | | Vehicle comfort | | | 103. Body panels | | | | |
| 21. Steering column adjuster | | | 67. Interior noise level | | | 104. Fascias | | | Customer Signature | |
| 22. Ignition switch | | | | | | 105. Bumpers | | | | |
| 23. Malfunction indicator lamp/warning lamp | | | POST-ROAD TEST | | | 106. Decals/emblems/trim pieces in place | | | Signature | |
| 24. Air bag system | | | 68. Fluid leaks — visible inspection | | | 107. Glass/lamp covers | | | Oignature | |
| 25. Trip computer/overhead console | | | 69. All fluid levels (underhood) | | | 108. Wheel/wheel covers | | | | |
| 26. Heated seat | | | 70. Hot restart performance | | | 109. Truck bed/bedliner | | | Date | |
| 27. Heating, ventilation, air conditioning system | - | | Maintenance Standards | | | Interior condition | | | | |
| 28. Turn signal/hazard lamps | | | • | | | 110. Instrument panel | | | | |
| 29. Horn | | | Perform the following fluid inspection and/or changes: | | | 111. Door panels | | | Additional Information | |
| 30. Brake lamps | | | 71. Change engine oil, oil filter and use | | | 112. Seating | | | | |
| 31. Headlamp/high beam/low beam | | | Mopar _® Parts | | | 113. Headliner/package tray | | | | |
| 32. Interior lamps | | | 72. Inspect air filter | | | 114. Luggage compartment | | | | |
| 33. Door locks (all switches) | | | 73. Automatic transmission | | | 115. Carpet/floor mats | | | | |
| 34. Windows | | | fluid and filter | | | Detail Standards | | | | |
| 35. Parking brake | | | 74. Manual transmission fluid | | | | | | | |
| 36. Fog lamps | | | 75. Front differential fluid (4x4 only) | | | Exterior detailing | | | | |
| 37. Windshield wiper system operation | | Ш | 76. Rear differential fluid | | | 116. Clean engine compartment | | | | |
| 38. Wiper blades in good condition | | | (4x4/RWD/AWD) | | | 117. Touch up/recondition | _ | | | |
| 39. Rear window wiper and condition | | | 77. Transfer case fluid (4x4/AWD) | | | minor surface scratches | | | | |
| 40. Rearview mirror | | ш | 78. Engine coolant level and test | | | 118. Remove tar, bugs and road oil | | | | |
| 41. Sideview mirrors | | | 79. Front brakes have 50% or more | | | 119. Exterior wash and wax | | | | |
| 41. Sideview mirrors 42. Rear defroster | | | of lining remaining | | | 120. Wipe down all door jambs | | | | |
| 43. Seat belts | | Ш | 80. Front and rear brake component conditio | n 🗆 | | | | | | |
| 43. Seat beits | | | 81. Rear brakes have 50% or more | | | | | | | |

Chrysler, Jeep, Dodge, Ram and Mopar are registered trademarks of Chrysler Group LLC. CARFAX is a registered trademark of CARFAX, Inc.

44. Convertible top

45. Sunroof

of lining remaining

82. Perform outstanding vehicle campaigns



44. Convertible top

45. Sunroof

of lining remaining

82. Perform outstanding vehicle campaigns

CERTIFIED PRE-OWNED VEHICLE INSPECTION CHECKLIST

This inspection checklist must be completed with *all* items checked, signed by responsible persons as indicated and retained along with repair orders in the vehicle's history file. Failure to do so will *void* the vehicle's certification.

| Dealership Name | | | |
|-----------------|--------------------------|---------|--|
| | | | |
| Color | R.O. Number(s) | | |
| VIN | | | |
| Date Inspected | Original In-Service Date | Mileage | |

| | Meets Chrysler Standards | Not Applicable | | Meets Chrysler Standards | Not Applicable | | Meets Chrysler Standards | Not Applicable | | Meets Chrysler Standards | Not Applicable |
|--|-----------------------------|-------------------|---|-----------------------------|-------------------|--|-----------------------------|-------------------|--|-----------------------------|-------------------|
| Qualification Standards | | | Mechanical Standards (continued) | | | Maintenance Standards (continued) | | | Detail Standards (continued) | | |
| 1. Under 75,000 miles | | | ROAD TEST | | | 83. Identify non-Mopar _® accessories | | | Interior detailing | | |
| 2. Five model years or newer | | | 46. Ease of starting | | | in Additional Information box | | | 121. Clean ashtray/cigarette lighter | | |
| 3. No frame damage | | | 47. Cold-idle quality | | | 84. Tires match and are manufacturer's | | | 122. Clean vinyl, plastic | | |
| 4. Clean title | | | 48. Gear selector operation | | | recommended size/load capacity | | | and leather surfaces | | |
| 5. Aftermarket accessories do not comprom | nise | | Steering performance | | | 85. Wheels match and are correct | | | 123. Clean glass surfaces | | |
| safety, emissions or operation of vehicle | | | 49. Power steering performance | | | size and offset | | | 124. Vacuum and/or shampoo | | |
| Ownership Materials | | | 50. Steering wheel center alignment | | | 86. Tread depth is 4/32" remaining 87. Tire sidewall condition | | | all interior carpets | | |
| 6. Warranty Manual | | | 51. Vehicle tracking performance | | | | Ц | | 125. Free of odors/moisture | | |
| 7. Owner's Manual | | | 01 | | | 88. Tire pressures are set to Chrysler specifications | П | | and water leaks | | |
| Operational key | | | Equipment operation 52. Cruise control | | | 89. Brake-line condition | П | | | | |
| 9. CARFAX® report | | | | | | 90. Shocks and struts condition | П | | Satellite-Equipped Radios | | |
| 10. Certified Pre-Owned | Ш | | 53. Overdrive | | Ш | 91. CV joints boot condition | | | | han (ECN) | |
| Consumer Warranty Booklet | | | 54. Instrument panel/gauges | | | 92. Exhaust system | | | Retrieve the Radio Electronic Serial Numl | Jer (ESIN) | |
| • | | | 55. Sound and/or entertainment system | Ш | | 93. Front suspension | | | | | |
| Mechanical Standards | | | Powertrain performance | | | 94. Rear suspension | П | | | | |
| PRE-ROAD TEST | | | 56. Acceleration performance | | | 95. Steering components | | | | | |
| Underhood checks | | | 57. Clutch operation (manual transmission) | | | 96. Wheel bolts torqued to specifications | | | Authorized Signature | | |
| 11. Hood release | | | 58. Upshifting performance | | | • | Ш | | | | 1.6. |
| 12. Brake fluid | | | Downshifting performance | | | 97. Tire-changing equipment (including spare, if applicable) | | | My dealership has inspected all of the ab as a Factory-Backed Certified Pre-Owned | | |
| 13. Power steering fluid filled | | | Steady throttle performance | | | 98. Drive belts are tight and not damaged | | | standards listed have been met. | venicie. Except where i | ioteu, aii |
| 14. Wiper/washer fluid filled | | | 61. Transfer case/all-wheel-drive performand | ce 🗆 | | 99. Engine hoses | | | Startagrad Hotel Have been met. | | |
| 15. Battery condition/load test | | | 62. Hot-idle performance | | | 100. Emissions system hoses | | | Authorized Signature | | |
| 16. Charging system operation | | | Braking performance | | | 101. State/local testing | | | | | |
| 17. Throttle linkage operation | | | 63. Brake booster performance | | | 102. Module scan tool check | | | Title | | |
| ũ , | | | 64. Vehicle tracking | | | 102. Module scan tool check | Ц | | | | |
| Operational checks | | | 65. Antilock brake system | | | Appearance Standards | | | Date | | |
| 18. Key fob w/remote keyless entry | | | 66. Overall stopping performance | | _ | Exterior condition | | | | | |
| 19. Door/liftgate/trunk | | | Vehicle comfort | | | 103. Body panels | | | | | |
| 20. Seat adjuster | | _ | | | | 104. Fascias | | | Customer Signature | | |
| 21. Steering column adjuster | | | 67. Interior noise level | Ш | | 105. Bumpers | | | | • | • |
| 22. Ignition switch | | | POST-ROAD TEST | | | 106. Decals/emblems/trim pieces in place | | | | | |
| 23. Malfunction indicator lamp/warning lamp | | | 68. Fluid leaks – visible inspection | | | 107. Glass/lamp covers | | | Signature | | |
| 24. Air bag system | | | 69. All fluid levels (underhood) | | | 108. Wheel/wheel covers | | | | | |
| 25. Trip computer/overhead console | | | 70. Hot restart performance | | | 109. Truck bed/bedliner | | | Date | | |
| 26. Heated seat | | | Maintenance Standards | | | Interior condition | | | | | |
| 27. Heating, ventilation, air conditioning syste | | | | | | 110. Instrument panel | | | | | |
| 28. Turn signal/hazard lamps | | | Perform the following fluid inspection | | | 111. Door panels | | | Additional Information | | |
| 29. Horn | | | and/or changes:71. Change engine oil, oil filter and use | | | 112. Seating | | | | | |
| 30. Brake lamps | | | Mopar _® Parts | | | 113. Headliner/package tray | | | | | · |
| 31. Headlamp/high beam/low beam | | | 72. Inspect air filter | | | 114. Luggage compartment | | | | | |
| 32. Interior lamps | | | 73. Automatic transmission | | | 115. Carpet/floor mats | | | | | |
| 33. Door locks (all switches) | | | fluid and filter | | | | | | | | |
| 34. Windows | | | 74. Manual transmission fluid | | | Detail Standards | | | | | |
| 35. Parking brake | | | 75. Front differential fluid (4x4 only) | | | Exterior detailing | | | | | |
| 36. Fog lamps | | | 76. Rear differential fluid | _ | _ | 116. Clean engine compartment | | | | | |
| 37. Windshield wiper system operation | | | (4x4/RWD/AWD) | | | 117. Touch up/recondition | | | | | |
| 38. Wiper blades in good condition | | | 77. Transfer case fluid (4x4/AWD) | | | minor surface scratches | | | | | |
| 39. Rear window wiper and condition | | | 78. Engine coolant level and test | | | 118. Remove tar, bugs and road oil | | | | | |
| 40. Rearview mirror | | | 79. Front brakes have 50% or more | | | 119. Exterior wash and wax | | | | | |
| 41. Sideview mirrors | | | of lining remaining | | | 120. Wipe down all door jambs | | | | | |
| 42. Rear defroster | | | 80. Front and rear brake component condition | on 🗆 | | · · · · · · · · · · · · · · · · · · · | | | | | |
| 43. Seat belts | | | 81. Rear brakes have 50% or more | | | | | | | | |

Chrysler, Jeep, Dodge, Ram and Mopar are registered trademarks of Chrysler Group LLC. CARFAX is a registered trademark of CARFAX, Inc.



CERTIFIED PRE-OWNED VEHICLE INSPECTION CHECKLIST

This inspection checklist must be completed with *all* items checked, signed by responsible persons as indicated and retained along with repair orders in the vehicle's history file. Failure to do so will *void* the vehicle's certification.

| Dealership Name | | |
|----------------------|--------------------------|--------------|
| /ear, Make and Model | | Stock Number |
| Color | | |
| /IN | | |
| | | |
| Date Inspected | Original In-Service Date | Mileage |

| | Meets Chrysler | | | Meets Chrysle | r Not | | Meets Chrysler | Not Applicable | | Meets Chrysler Not |
|--|----------------|------------|---|---------------|------------|---|----------------|-------------------|---|----------------------------------|
| Qualification Standards | Standards | Applicable | Mechanical Standards (continued) | Standards | Applicable | Maintenance Standards (continued) | Standards | Applicable | Detail Standards (continued) | Standards Applicabl |
| | | | | | | , | | | · · · · · · · · · · · · · · · · · · · | |
| 1. Under 75,000 miles | | | ROAD TEST | | | 83. Identify non-Mopar _® accessories in Additional Information box | | | Interior detailing | |
| 2. Five model years or newer | | | 46. Ease of starting | | | 84. Tires match and are manufacturer's | П | | 121. Clean ashtray/cigarette lighter | |
| 3. No frame damage | | | 47. Cold-idle quality | | | recommended size/load capacity | | | 122. Clean vinyl, plastic | |
| 4. Clean title | | | 48. Gear selector operation | | | 85. Wheels match and are correct | | | and leather surfaces | |
| Aftermarket accessories do not comprom safety, emissions or operation of vehicle | ⊓ise | | Steering performance | | | size and offset | | | 123. Clean glass surfaces | |
| , | Ь | | 49. Power steering performance | | | 86. Tread depth is 4/32" remaining | | | 124. Vacuum and/or shampoo all interior carpets | |
| Ownership Materials | | | 50. Steering wheel center alignment | | | 87. Tire sidewall condition | | | 125. Free of odors/moisture | |
| 6. Warranty Manual | | | 51. Vehicle tracking performance | | | 88. Tire pressures are set to | | | and water leaks | |
| 7. Owner's Manual | | | Equipment operation | | | Chrysler specifications | | | | |
| 8. Operational key | | | 52. Cruise control | | | 89. Brake-line condition | | | | |
| 9. CARFAX® report | | | 53. Overdrive | | | 90. Shocks and struts condition | | | Satellite-Equipped Radios | |
| 10. Certified Pre-Owned | | | 54. Instrument panel/gauges | | | 91. CV joints boot condition | | | Retrieve the Radio Electronic Serial Num | per (ESN) |
| Consumer Warranty Booklet | | | 55. Sound and/or entertainment system | | | 92. Exhaust system | | | | |
| Mechanical Standards | | | Powertrain performance | | | 93. Front suspension | | | | |
| PRE-ROAD TEST | | | 56. Acceleration performance | | | 94. Rear suspension | | | | |
| Underhood checks | | | 57. Clutch operation (manual transmission) | | | 95. Steering components | | | Authorized Signature | |
| 11. Hood release | | | 58. Upshifting performance | | | 96. Wheel bolts torqued to specifications | | | <u> </u> | • |
| 12. Brake fluid | | | 59. Downshifting performance | | | 97. Tire-changing equipment | | | My dealership has inspected all of the ab | |
| 13. Power steering fluid filled | | | 60. Steady throttle performance | | | (including spare, if applicable) | | | as a Factory-Backed Certified Pre-Owned standards listed have been met. | Vehicle. Except where noted, all |
| 14. Wiper/washer fluid filled | | | 61. Transfer case/all-wheel-drive performance | e 🗆 | | 98. Drive belts are tight and not damaged | | | standards listed have been met. | |
| 15. Battery condition/load test | | | 62. Hot-idle performance | | | 99. Engine hoses | | | Authorized Signature | |
| Charging system operation | | | Braking performance | | | 100. Emissions system hoses | | | | |
| 17. Throttle linkage operation | | | 63. Brake booster performance | | | 101. State/local testing | | | Title | |
| 5 . | Ц | | 64. Vehicle tracking | | | 102. Module scan tool check | | | | |
| Operational checks | _ | _ | 65. Antilock brake system | | | Appearance Standards | | | Date | |
| 18. Key fob w/remote keyless entry | | | 66. Overall stopping performance | | _ | Exterior condition | | | | |
| 19. Door/liftgate/trunk | | | Vehicle comfort | | | 103. Body panels | | | | |
| 20. Seat adjuster | | | 67. Interior noise level | | | 104. Fascias | | | Customer Signature | |
| 21. Steering column adjuster | | | 07. Interior noise level | Ш | | 105. Bumpers | | | - | |
| 22. Ignition switch | | | POST-ROAD TEST | | | 106. Decals/emblems/trim pieces in place | | | 6 : t | |
| 23. Malfunction indicator lamp/warning lamp | | | 68. Fluid leaks – visible inspection | | | 107. Glass/lamp covers | | | Signature | |
| 24. Air bag system | | | 69. All fluid levels (underhood) | | | 108. Wheel/wheel covers | | | | |
| 25. Trip computer/overhead console | | | 70. Hot restart performance | | | 109. Truck bed/bedliner | | | Date | |
| 26. Heated seat | - | | Maintenance Standards | | | Interior condition | | | | |
| 27. Heating, ventilation, air conditioning syste | em ⊔ | Ш | | | | 110. Instrument panel | | | | |
| 28. Turn signal/hazard lamps29. Horn | | | Perform the following fluid inspection and/or changes: | | | 111. Door panels | | | Additional Information | |
| 30. Brake lamps | | | 71. Change engine oil, oil filter and use | | | 112. Seating | | | | |
| 31. Headlamp/high beam/low beam | | | Mopar _® Parts | | | 113. Headliner/package tray | | | | |
| 32. Interior lamps | | | 72. Inspect air filter | | | 114. Luggage compartment | | | | |
| • | | | 73. Automatic transmission | | | 115. Carpet/floor mats | | | | |
| 33. Door locks (all switches)34. Windows | | | fluid and filter | | | Detail Standards | | | | |
| 35. Parking brake | | | 74. Manual transmission fluid | | | Detail Standards | | | | |
| S . | | | 75. Front differential fluid (4x4 only) | | | Exterior detailing | | | | |
| 36. Fog lamps37. Windshield wiper system operation | | Ц | 76. Rear differential fluid | _ | _ | 116. Clean engine compartment | | | | |
| 38. Wiper blades in good condition | | | (4x4/RWD/AWD) | | | 117. Touch up/recondition | _ | | | |
| | | | 77. Transfer case fluid (4x4/AWD) | | | minor surface scratches | | | | |
| 39. Rear window wiper and condition | | | 78. Engine coolant level and test | | | 118. Remove tar, bugs and road oil | | | | |
| Rearview mirror Sideview mirrors | | | 79. Front brakes have 50% or more | | | 119. Exterior wash and wax | | | | |
| 41. Sideview mirrors 42. Rear defroster | | | of lining remaining | | | 120. Wipe down all door jambs | | | | |
| 43. Seat belts | | | 80. Front and rear brake component condition | n 🗆 | | | | | | |
| 45. Seat peits | | | 81. Rear brakes have 50% or more | | | | | | | |

Chrysler, Jeep, Dodge, Ram and Mopar are registered trademarks of Chrysler Group LLC. CARFAX is a registered trademark of CARFAX, Inc.

Form No. 91-770-4556-12 Service Department

44. Convertible top

45. Sunroof

of lining remaining

82. Perform outstanding vehicle campaigns

03/12